DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD		TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT
)	
	•	111

EX

ED SY LB

111111111	RRRRRRRR	AAAAA	NN NN	NN NN	AAAAA	MM MM	EEEEEEEEE	SSSSSSS	
TTTTTTTTT	RRRRRRRR	AAAAA	NN NN	NN NN	AAAAA	MM MM	EEEEEEEEE	SSSSSSS	
TT	RR RR	AA AA	NN NN	NN NN	AA AA	MMMM MMMM	EE	SS	
TT	RR RR	AA AA	NN NN	NN NN	AA AA	MMMM MMMM	ĔĔ	ŠŠ	
TT	RR RR	AA AA	NNNN NN		AA AA	MM MM MM	ĔĔ	ŠŠ	
77	RR RR	AA AA	NNNN NN		AA AA	MM MM MM	ĒĒ	ŠŠ	
TT	RRRRRRRR	AA AA	NN NN NN		AA AA	MM MM	EEEEEEEE	SSSSSS	
ŤŤ	RRRRRRRR	AA AA	NN NN NN	NN NN NN	AA AA	MM MM	EEEEEEE	SSSSS	
TT	RR RR	AAAAAAAAA	NN NNNN		AAAAAAAA	MM MM	FF	SS	
ŤŤ	RR RR	AAAAAAAA	NN NNNN		AAAAAAAA	MM MM	ř ř	ŠŠ	
ŤŤ	RR RR	AA AA	NN NN		AA AA	MM MM	ĔĔ	ŠŠ	
ŤŤ	RR RR	AA AA	NN NN		AA AA	MM MM	ĔĔ	ŠŠ	• • • •
ŤŤ	RR RR	AA AA	NN NN	NN NN	AA AA	MM MM	ÈÈEEEEEEE	SSSSSSS	• • • •
ŤŤ	RR RR	AA AA	NN NN	NN NN	AA AA	MM MM	EEEEEEEEE	\$\$\$\$\$\$\$\$	• • • •
* •	****	747 77	1919	1414	nn nn	1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		333333	• • • •

RRRRRRRR	EEEEEEEEE	99999		
RRRRRRRR	EEEEEEEEE	0000		
RR RR	EE	99	QQ	
RR RR	ĒĒ	99	00	
RR RR	ĒĒ	90	00	
RR RR	ĒĒ	90	00	
RRRRRRRR	EEEEEEEE	QQ	00	
RRRRRRRR	EEEEEEE	00	99	
RR RR	EE	00 00	00	
RR RR	ĒĒ	00 00	00	
RR RR	ĒĒ	00	00	
RR RR	ĒĒ	00	99	
RR RR	EEEEEEEEE	0000	00	
RR RR		0000	00	

TF

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

! This file, TRANNAMES.REQ, translates external names into 6-character names for the PDP-11 task builder.

Edit History:

1 🐞

1 🛊

•

1-001 - Generated based on changes to the external names in EDTDATA.BLI. JBS 12-Feb-1981
1-002 - Allowed specification of the short name, to interface

1-002 - Allowed specification of the short name, to interface to MACRO-11 modules. JBS 12-feb-1981
1-003 - Added EDT\$\$G_IOFI_NFND . JBS 19-feb-1981
1-004 - Added names from the system-specific module. JBS 19-feb-1981
1-005 - Added preliminary module names. JRS 27-feb-1981
1-006 - Removed the module names, since the MODULE statement comes before the REQUIRF so they are never used. JBS 02-Mar-1981
1-007 - Change EDT\$\$GZ_WORK_LINE to EDT\$\$A_WK_LN . JBS 01-Apr-1981
1-008 - Add more names from the test compile. JBS 13-Apr-1981
1-009 - Make created symbols 4 chars long. JBS 17-Apr-1981
1-010 - Correct some symbol names. JBS 21-Apr-1981
1-011 - Add more PDP-11 equivalent names. JBS 01-May-1981
1-012 - Start removing unused names. JBS 01-May-1981
1-013 - ADD MACRO-11 NAMES FROM COMMAND SCANNER. JBS 03-MAY-1981
1-014 - Put the names in alphabetical order. JBS 04-May-1981
1-015 - Fix two typos. JBS 04-May-1981
1-016 - Change EDT\$\$GG_INPUT_ECHO_FLAG to EDT\$\$G_IN_ECHOFLG .
JBS 05-May-1981
1-017 - Add new control C cells. JBS 23-Jun-1981

1-017 - Add new control C cells. JBS 23-Jun-1981 1-018 - Add name equivalent for RSTS/E. JBS 14-Jul-1981 1-019 - Add EDT\$\$A_REF_USENT. JBS 07-Aug-1981 1-020 - Add EDT\$\$G_RPT and EDT\$\$PARSE_NO_QUOTES. STS 26-Aug-1981 1-021 - Add EDT\$\$G_FNF_MSGFLG_TMV 10-Sep_1981 1-022 - Add EDT\$\$G_SUMRY for summary output flag. STS 02-Oct-1981

11

T

1

```
1-023 - Add EDT$$A_US_TXT and EDT$$A_INI_TXT. STS 07-Oct-1981
  1-025 - Add EDT$$A_US_TXT and EDT$$A_INI_TXT. STS_07-0ct-1981
1-024 - Add EDT$$G_DFET_VERB for default_verb. STS_08-0ct-1981
1-025 - Add prompt_globals. JBS_22-0ct-1981
1-025 - Add word tye and para type global flags. STS_22-0ct-1981
1-026 - Add four more prompts. JBS_25-0ct-1981
1-027 - Add one more prompt. JBS_28-0ct-1981
1-028 - Add EDT$$G_VARIABLE. JBS_29-Nov-1981
1-029 - ADD_EDT$$G_OPTIONS. STS_2-Dec-1981
1-030 - Add descriptors. STS_2-Dec-1981
1-031 - Add new globals in STARTEDT and MCRCMD. STS_7-Dec-1981
   1-032 - Add new globals for SET HELP command. S
1-033 - Add EDT$$G FILE ENV. JBS 23-Dec-1981
1-034 - Revise control C names. JBS 29-Dec-1981
                                                                                                SMB 18 Dec-1981
   1-035 - Add EDT$$G_SECOND and EDT$$G_WORKCOUNT. JBS 12-Jan-1982
1-036 - Add more line number globals for 15 digits. SMB 20-Jan-1982
  1-036 - Add more line number globals for 15 digits. SMB 20-Jan-1982
1-037 - Add new global for number of lines resequenced. SMB 07-feb-1982
1-038 - Add EDT$$G_ENB_AUTRPT. JBS 09-feb-1982
1-039 - Add EDT$$A_WORK_ROUT, and EDT$$G_WORK_ENV. STS 11-feb-1982
1-040 - Add EDT$$Z_WF_DESC for work file descriptor. STS 17-feb-1982
1-041 - Add EDT$$G_EXT_MOD flag. SMB 26-feb-1982
1-042 - Add the EDT$K__literals for callable EDT. STS 11-Mar-1982
1-043 - Add the re-entry flag EDT$$G_REENTRY. STS 11-Mar-1982
1-044 - Make the callable EDT literals unique in their first six characters.
   1-045 - Add EDT$$V_OPTIONS, EDT$$V_COPTIONS and EDT$$T_CMD_NAM_DEF1 and 2. JBS 18-Mar-1982
   1-046 - Add a short name for eight-bit mode. JBS 05-Apr-1982
  1-047 - Add flags for open files. STS 07-Apr-1982
   1-048 - Add flag for defining keys. STS 08-Apr-1982
   1-049 - Add another FDB location for output files. SMB 08-Apr-1982
   1-050 - Add EDT$$G_JOU_VALID. JBS 09-Apr-1982
   1-051 - Put in alphabetical order and remove redundent spaces before commas and parens. JBS 09-Apr-1982
   1-052 - Add EDT$$A_COM_NAM. JBS 04-May-1982
  1-053 - Add EDISSA_CHAIN_INFO and EDISSG_CC_DONE. JBS 24-May-1982
1-054 - Add EDISSG_MESSAGE_LINE. JBS 01-Jul-1982
1-055 - Add EDISSG_CHM_FRST_ENTRY. JBS 02-Jul-1982
1-056 - Remove EDISSG_CHM_FRST_ENTRY, add EDISSG_FMT_BOT, EDISSG_FMT_LCNT and EDISSG_LASTMSG. JBS 05-Jul-1982
1-057 - Remove EDISST_PMT_PRIC. SIS 07-Jul-1982
   1-058 - Add EDT$$G_SAV_TIWID for saving original width. STS 08-Jul-1982
1-059 - Add EDT$$B_CHAR_INFO. JBS 20-Jul-1982
1-060 - ADD EDT$$A_IO_FRAM. STS 21-JUL-1982
   1-061 - Add new globals for terminal characteristics. SMB 30-Jul-1982
   1-062 - Add write abort flag - EDT$$G_ABT_WRITE. STS 05-Aug-1982
   1-063 - Add the EDTSM literals for callable EDT. STS 17-Aug-1982
   1-064 - Add two new names for the default command file name. JBS 23-Aug-1982
   1-065 - Add three new names for terminal handling. JBS 31-Aug-1982
   1-066 - Add EDT$$G_TI_EDIT. JBS 01-Sep-1982
   1-067 - Make the autorepeat flag available to MACRO-11 programs. JBS 02-Sep-1982
   1-068 - Add new screen update globals. SMB 21-Sep-1982
  1-069 - Remove EDT$$B SCR VEC and EDT$$G LN ONSCR. SMB 22-Sep-1982

1-070 - Add EDT$$L LNO EMPTY and EDT$$A SCR BUF. JBS 24-Sep-1982

1-071 - Add EDT$$G PUT JOU. STS 28-Sep-1982

1-072 - Add EDT$$A CSR SCRPTR. JBS 01-Oct-1982

1-073 - Add EDT$$G PUT JOU. STS 06-Oct-1982

1-074 - Add EDT$$G PUT JOU. STS 06-Oct-1982
1-075 - Add EDT$$G_SCR_REBUILD. JBS 09-0ct-1982
1-076 - Add EDT$$A_OLD_SEL. SMB 11-0ct-1982
! 1-077 - Add EDT$$G_TI_DUMB. JBS 16-Oct-1982
```

```
1-078 - Add EDT$$G_MEM_CNT and EDT$$G_RECS_INSERTED. JBS 21-Oct-1982

1-079 - Add EDT$$G_BOT_LINE. JBS 02-Dec-1982

1-080 - Add EDT$$G_CS_CHNO. JBS 27-Dec-1982

1-081 - Add EDT$$G_TOP_SCREG. EDT$$G_BOT_SCREG. SMB 11-Jan-1983

1-082 - Add EDT$$G_REC$CRUPD. JBS 2T-Jan-1983

1-083 - Add EDT$$G_WRITE_MSG. JBS 24-Mar-1983

1-084 - Add EDT$$G_WRITE_MSG. JBS 24-Mar-1983

1-085 - Add EDT$$G_INSERT_MODE. JBS 01-Apr-1983

1-086 - Removed several unnecessary short names. JBS 01-Apr-1983

1-087 - Add EDT$$G_TOP_RECNO. JBS 04-Apr-1983

1-088 - Add EDT$$G_ANY_CHANGES. JBS 05-Apr-1983

1-089 - Add EDT$$G_DEC_CRT_mapped to E_T_DC. REM 29-Feb-1984
```

M

Z

z

•

```
MACRO
    EXTERNAL_NAMES =
```

```
(EDT$$A_ALT_BUF)
(EDT$$A_BUF_SCRPTR)
(EDT$$A_BUF_LST)
(EDT$$A_CMB_NAM, E_C_CN)
(EDT$$A_CHAR_NAME, E_I_CN)
(EDT$$A_CHAR_NAME, E_I_CN)
(EDT$$A_CJOU_NAM, E_J_CN)
(EDT$$A_CMD_NAM, E_J_CN)
(EDT$$A_CMD_NAM, E_O_CN)
(EDT$$A_CMD_NAM, E_O_CN)
(EDT$$A_COM_NAM, E_O_CN)
(EDT$$A_COM_NAM, E_O_CN)
(EDT$$A_CUR_SCRPTR)
(EDT$$A_CUR_SCRPTR)
(EDT$$A_EXE_CURCMD)
(EDT$$A_EXE_CURCMD)
(EDT$$A_EXE_CURCMD)
(EDT$$A_FMT_WRUT)
(EDT$$A_FMT_WRUT)
(EDT$$A_IN_TXT)
(EDT$$A_IN_TXT)
(EDT$$A_IN_TXT)
(EDT$$A_IN_TXT)
(EDT$$A_IN_TXT)
(EDT$$A_IN_END)
(EDT$$A_LN_END)
(EDT$$A_LN_END)
(EDT$$A_ALN_END)
(EDT$$A_ALN_END)
(EDT$$A_ALN_END)
(EDT$$A_ALN_END)
(EDT$$A_ALN_END)
(EDT$$A_PA_TURTOK)
(EDT$$A_PA_TURTOK)
(EDT$$A_PA_TURTOK)
(EDT$$A_PA_TURTOK)
(EDT$$A_PA_TURTOK)
(EDT$$A_PA_TURTOK)
(EDT$$A_PA_TURTOK)
(EDT$$A_PA_TURTOK)
(EDT$$A_PA_TURTOK)
(EDT$$A_SCR_BUF)
EXTERNAL NAME
```

```
(EDT$$A_WK_LN)
(EDT$$B_CHAR_INFO)
(EDT$$B_CHAR_INFO)
(EDT$$C_K_RDAHED, K_RAC)
(EDT$$C_PA_CH)
(EDT$$C_ANY_CHANGES)
(EDT$$G_ANY_CHANGES)
(EDT$$G_BOT_LINE)
(EDT$$G_CAS_TYP)
(EDT$$G_CAS_TYP)
(EDT$$G_CC, E_CC)
(EDT$$G_CC, E_CC)
(EDT$$G_CC_CNT1_H1)
(EDT$$G_CC_CNT1_H1)
(EDT$$G_CC_CNT2_H1)
(EDT$$G_CC_CNT2_H1)
(EDT$$G_CC_CNT2_H1)
(EDT$$G_CC_TNT2_LO)
(EDT$$G_CON_T_C_UOU)
(EDT$$G_CMD_NAMLEN, E_J_CL)
(EDT$$G_CMD_NAMLEN, E_C_LE)
(EDT$$G_CMD_NAMLEN, E_C_LE)
(EDT$$G_CMD_NAMLEN, E_C_LE)
(EDT$$G_CMD_NAMLEN, E_C_LE)
(EDT$$G_CND_NAMLEN, E_C_LE)
(EDT$G_CND_NAMLEN, E_C_LE)
(EDT$G_CND_NAMLEN, E_C_LE)
(EDT$G_CND_NAMLEN, E_C_LE)
(EDT$G_CND_NAMLEN, E_C_LE)
(EDT$G_CND_NAMLEN, E_C_LE)
EXTERNAL NAME
```

```
EXTERNAL_NAME
EXTERNAL NAME
      EXTERNAL_NAME
 EXTERNAL NAME
      EXTERNAL_NAME
```

```
(EDT$$G_RNG_MORELN)
(EDT$$G_RNG_NOOFLN)
(EDT$$G_RPT_LEN)
(EDT$$G_RPT_LEN)
(EDT$$$G_SAV_CNT)
(EDT$$$G_SAV_TIWID, S_TIWD)
(EDT$$G_SCLL_BOT)
(EDT$$$G_SCLL_TOP)
(EDT$$$G_SCR_CSLN)
(EDT$$$G_SCR_CSLN)
(EDT$$$G_SCR_CSLN)
(EDT$$$G_SCR_CSPOS)
(EDT$$$G_SCR_REBUILD)
(EDT$$$G_SCR_REBUILD)
(EDT$$$G_SCR_REBUILD)
(EDT$$$G_SCR_REBUILD)
(EDT$$$G_SCR_REBUILD)
(EDT$$$G_SCR_SEA_BEG)
(EDT$$$G_SCR_SEA_BED)
(EDT$$$G_SCR_SEA_BED)
(EDT$$$G_SCR_SCR_NOO)
(EDT$$$G_SCR_STRLEN)
(EDT$$$G_SCR_SCR_NOO)
(EDT$$$G_SCR_SCR_NOO)
(EDT$$$G_SCR_STRLEN)
(EDT$$$G_SCR_SCR_NOO)
(EDT$$$G_SCR_SCR_NOO)
(EDT$$$G_SCR_SCR_NOO)
(EDT$$$G_TIN_ECHOPOS)
(EDT$$$G_TIN_ECHOPOS)
(EDT$$$G_TIN_IBUFPTR)
(EDT$$$G_TIN_IBUFPTR)
(EDT$$$G_TIN_IBUFPTR)
(EDT$$$G_TIN_IRCCLEN)
(EDT$$G_TIN_IRCCLEN)
                                                           EXTERNAL_NAME
EXTERNAL NAME

EXTERNAL NAME
```

1

Ì

```
(EDT$$G_WK_GRTSTBUK)
(EDT$$G_WK_INSADDR)
(EDT$$G_WK_MODFD)
(EDT$$G_WRDTYP)
(EDT$$G_WRDTYP)
(EDT$$G_WRDTYP)
(EDT$$SG_WRDTYP)
(EDT$$SC_CHAR_NAMES_LEN)
(EDT$$L_CHG_TSLN)
(EDT$$L_CHG_SELLN)
(EDT$$L_CHG_SELLN)
(EDT$$L_CHG_TOPLN)
(EDT$$L_CHG_SCRLN)
(EDT$$L_CHG_SCRLN)
(EDT$$L_LNOTO)
(EDT$$L_NOTO)
EXTERNAL NAME
```

TRA

· MA(

L

```
(EDISST_EXE_LNO)
(EDISST_EXE_LNO)
(EDISST_HDEF_EXT)
(EDISST_HDEF_NAM)
(EDISST_HDEF_NAM)
(EDISST_HDEF_NAM)
(EDISST_HDEF_NAM)
(EDISST_PMT_HCCHG)
(EDISST_PMT_HCCHG)
(EDISST_PMT_INS)
(EDISST_PMT_INS)
(EDISST_PMT_INS)
(EDISST_PMT_INS)
(EDISST_PMT_OURPY)
(EDISST_PMT_OURPY)
(EDISST_PMT_OURPY)
(EDISST_SASTR)
(EDISST_SUBSTR)
(EDISST_SUBSTR)
(EDISST_SUBSTR)
(EDISST_SUBSTR)
(EDISST_TIN_INREC)
(EDISST_TIN_INREC)
(EDISST_COMD_DESC)
(EDISST_COMD_DESC)
(EDISST_COMD_DESC)
(EDISST_COMD_DESC)
(EDISST_COMD_DESC)
(EDISST_COMD_DESC)
(EDISST_COMD_DESC)
(EDISST_OMD_DESC)
(EDISST_OMD_DESC)
(EDISST_PA_STK)
(EDISST_PA_STRG_ORIGPOS)
(EDISST_STS_ORITAB, SY_AUDIT_RAB)
(EDISST_STS_OUTRAB, SY_OUT_RAB)
(EDISST_STS_ORITAB, SY_OUT_RAB)
(EDISST_STS_ORITAB, SY_PRIMARY_RAB)
(EDISST_ORITAB, SY_PRIMARY_RAB)
(EDISST_ORITAB, SY_PRIMARY_RAB)
(EDISST_ORITAB, SY_PRIMARY_RAB)
(EDISST_ORITAB, SY_OUT_RAB, CEDISST_ORITAB, CEDISST_ORIT
EXTERNAL NAME

EXTERNAL NAME
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           (EDT$K_GET)
```

```
(EDT$K_INCLUDE_FILE)
(EDT$K_INPUT_FILE)
(EDT$K_JOURNAL_FILE)
(EDT$K_OPEN_INPUT)
(EDT$K_OPEN_IN_OUT)
(EDT$K_OPEN_OUTPUT_NOSEQ)
(EDT$K_OPEN_OUTPUT_SEQ)
(EDT$K_OUTPUT_FILE)
(EDT$K_WRITE_FILE)
(EDT$M_RECOVER)
(EDT$M_ROOUTPUT)
(EDT$M_NOJOURNAL)
(EDT$M_NOCOMMAND)
(EDT$M_NOCOMMAND)
(EDT$M_NOCOMMAND)
(EDT$M_NOCOMMAND)
                     EXTERNAL NAME
  %;
MACRO
           EXTERNAL NAME (LONG_NAME, SHORT_NAME) =
                      MACRO LONG NAME = XIF XNULL (SHORT NAME) XTHEN XQUOTE XEXPAND XASSIGN (NEWSYM VAL, NEWSYM VAL+1) XQUOTE XEXPAND XNAME ('E', XNUMBER (NEWSYM VAL))
                       XELSE SHORT_NAME
                      XF I
                       XQUOTE X : X:
 COMPILETIME
           NEWSYM_VAL = 100;
EXTERNAL_NAMES
UNDECLARE
End of file TRANNAMES.REQ
```

* *

0130 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

